

March 2006

142

RS #	SPECIMEN #	PATIENT NAME	Blocks	Region	Original	Original	MS ER	MS PR	MS Tumour	IC	F/P	Comment
	98-SU7199		1	Grand Falls	1 to 5	1 to 5			DCIS			Deferred: slides to be reviewed
	S-3801-02		8	Grand Falls	<20	<10	95	70	D	A	A	Paneled: recommended for Tamoxifen
	S-2074-98		4	Grand Falls	neg	neg	0	0	D	PS	A	Confirmed negative
	S-1281-99		3	Grand Falls	<10	<15	30	10	D	PS	A	deceased
	S002925-98		11	Grand Falls			10	30	D	PS	A	Paneled: no recommendation; on Tamoxifen
	S-1339-01		12	Grand Falls	slight +	neg	80	5	D	PS	A	Deferred: need information to panel
	S-762-02		1	Grand Falls	<5	<5	0	0	MCA	A	A	Confirmed negative
	S-2903-02		1	Grand Falls	<10	<10	80	80	L	PS	A	Paneled: recommended for Tamoxifen
	S-3206-98		52	Grand Falls	5	5	60	0	D	PS	A	Paneled: no recommendation; on Tamoxifen
	S-3412-02		A5	Grand Falls	80	10	70	5	D	PS	A	Confirmed positive; will not be paneled
	S-1452-02		1	Grand Falls	<5	<5	20	10	D	PS	A	Deferred: need information to panel
	S-3645-03		13	Grand Falls	<10	<10	0	0	D	PS	A	Confirmed negative
	S-219-99		A2	Grand Falls	<10	<10	0	0	D	PS	A	deceased
	S-1804-04		N/A	Grand Falls	<20	<20	50	20	D	PS	A	Paneled: no recommendation; on Femara
	S-3822-01		3	Grand Falls	<5	<5	90	10	D	PS	A	Paneled: no recommendation; low risk
	S-1815-98		2	Grand Falls	neg	neg	0	0	D	A	A	Confirmed negative
	S-1998-00		3	Grand Falls	neg	neg	0	0	D	PS	A	Confirmed negative
	S-1109-03		3	Grand Falls	<5	<15	0	0	D	PS	A	deceased
	S-4169-99		2	Grand Falls	5	5	30	0	L	PS	A	deceased
	S-4114-98		B2	Grand Falls	neg	neg	0	0	D	A	A	deceased
	S-2289-01		1	Grand Falls	neg	95	80	95	PAP	PS	A	Paneled: no recommendation; on Tamoxifen
	S-1676-00		3	Grand Falls	30	<10	70	50	D	PS	A	Paneled: no recommendation; on Tamoxifen/Femara
	S-1848-05		1	Grand Falls	<5	50			NT			Deferred: slides to be reviewed
	S-2177-03		A21	Grand Falls	<5	20	5	2	D	PS	A	deceased
	S-1666-00		3	Grand Falls	<10	<10	50	70	DL	PS	A	Paneled: no recommendation; low risk
	S9815204S		6	Grand Falls	5 to 10	55-60	60	60	D	PS	A	Paneled: no recommendation; on Tamoxifen
	S-439-02		B7	Grand Falls	<5	<5	20	0	D	PS	A	Paneled: recommended for Tamoxifen
	S-2392-03		A10	Grand Falls	<5	<5	0	0	D	PS	A	Confirmed negative
	S-4613-99		18	Grand Falls	10	10	60	40	D	PS	A	deceased
	S-561-00		B7	Grand Falls	5	5			DCIS			Previous DX of DCIS; should not have been retested/not paneled
	S-511-03		1	Grand Falls	<5	<5	40	60	D	A	A	deceased
	S-145-00		1	Grand Falls	<10	<10	10	20	D	PS	A	Paneled: recommended for Tamoxifen
	S-2966-99		1	Grand Falls	neg	neg	0	0	MCA	A	A	deceased
	S0014659S		A4	Grand Falls	neg	neg	40	0	D	PS	P	Paneled: recommended for Tamoxifen
	S-4455-99		28	Grand Falls	<5	<5	0	0	D	PS	A	confirmed negative
	S-954-98		14	Grand Falls	1 to 5	1 to 5	40	5	L	PS	P	Paneled: recommended for Tamoxifen
	S-2282-01		A1	Grand Falls	<5	<5	40	0	L	PS	A	Deferred: need information to panel
	S-1027-03		3	Grand Falls	sl +	<5	100	0	D	PS	A	Confirmed positive; will not be paneled
	S-303-03		N/A	Grand Falls	pos	10	70	10	L	PS	A	Confirmed positive; will not be paneled
	S-3411-02		2	Grand Falls	<10	<10	0	0	D	PS	P	confirmed negative
	S-1339-02		5	Grand Falls	<5	<5	0	0	D	PS	A	confirmed negative
	S-702-98		6	Grand Falls					DCIS			deceased
	S-2154-03		5	Grand Falls	<5	<5	0	0	MCA	A	A	confirmed negative
	S-1243-02		6	Grand Falls	<5	<5	40	30	D	PS	A	Paneled: recommended for Tamoxifen

S9712550S	1	Grand Falls	neg	neg	0	0	D	PS	A	confirmed negative
S-1948-00	A8	Grand Falls	<10	50	70	80	D	PS	A	deceased
S-1602-03	2	Grand Falls	<30	<30	25	20	D	A	A	Confirmed positive; will not be paneled
S-5396-98	A5	Grand Falls	neg	neg	0	0	D	PS	A	confirmed negative
S-1970-03	1	Grand Falls	<5	<5	0	0	MCA	A	A	confirmed negative
S-1830-00	7	Grand Falls	neg	neg	0	0	D	PS	A	confirmed negative
S-2466-00	16	Grand Falls	20	20	40	50	D	PS	A	Paneled: recommended for Tamoxifen
S-2481-98	6	Grand Falls	25	80	85	90	DT	PS	A	deceased
S-1289-00	3	Grand Falls	30	neg	30	10	D	PS	A	Confirmed positive; will not be paneled
S-2190-02	5	Grand Falls	neg	70-80	20	20	D	PS	P	Paneled: no recommendation; couldn't tolerate Tamoxifen, refused Arimidex
S-2233-01	1	Grand Falls	1 to 5	70-80	90	80	L	PS	A	Paneled: no recommendation; on Tamoxifen
S-328-00	A5	Grand Falls	neg	neg	<1	0	D	PS	A	confirmed negative
S-1820-98	2	Grand Falls	neg	neg	40	<1	L	PS	A	Paneled: no recommendation; low risk
S-3511-04	1	Grand Falls	<10	<60	0	0	D	PS	A	Deferred: slides to be reviewed
S-3195-01	A2	Grand Falls	neg	neg	0	0	D	PS	A	confirmed negative
S-3170-00	3	Grand Falls	10	80	50	90	D	PS	A	Paneled: no recommendation; on Tamoxifen
S-4883-03	3	Grand Falls	<5	50	40	20	D	PS	A	Paneled: no recommendation; on Tamoxifen
S-1657-02	1	Grand Falls	neg	neg	0	0	L	PS	A	confirmed negative
S-1891-00	3	Grand Falls	neg	neg			DCIS			Deferred: slides to be reviewed
S-3322-04	N/A	Grand Falls	<10	<10	0	0	D	A	A	*not CC patient; if never treated, confirmed negative
S-1029-98	B1-12	Grand Falls	neg	neg	0	0	D	PS	A	confirmed negative
S-92-04	1	Grand Falls	<5	10	50	70	D	PS	A	Paneled: no recommendation; on Tamoxifen
S-2626-98	5	Grand Falls	neg	<5	75	75	D	PS	P	Deferred: need information to panel
S-4512-02	A3	Grand Falls	<5	30	10	50	D	PS	A	Paneled: no recommendation; on Tamoxifen
S9714060S	A3	Grand Falls	0	90	20	30	D	PS	A	deceased
S-558-00	12	Grand Falls	<5	<10	60	20	D	PS	A	Paneled: no recommendation; low risk
S-1519-99	6	Grand Falls	neg	neg	0	0	D	PS	A	confirmed negative
S-3395-02	4	Grand Falls	<10	<10	0	0	D	PS	P	*not CC patient; if never treated, confirmed negative
S-149-04	N/A	Grand Falls	<5	35	10	90	D	A	A	deceased
S-1132-00	A7	Grand Falls	<5	<5	20	20	D	PS	P	Paneled: recommended for Tamoxifen
S-3472-98	4	Grand Falls	1 to 25	1 to 25			DCIS			Deferred: slides to be reviewed
S-2491-01	1	Grand Falls	<5	<5	0	0	D	PS	A	confirmed negative
S-876-99	1	Grand Falls	25-30	40-45	70	80	DT	A	A	Paneled: no recommendation; couldn't tolerate Tamoxifen
S9715031S	N/A	Grand Falls	neg	5 to 10	40	5	D	PS	A	deceased
S-257-01	B9	Grand Falls	neg	neg	0	0	D	PS	A	confirmed negative
S-1958-98	7	Grand Falls	neg	50-60	40	50	D	PS	A	Paneled: no recommendation; low risk
S-2841-99	N/A	Grand Falls	<5	<5	40	30	D	PS	A	Deferred: need information to panel
S-2012-01	B2	Grand Falls	neg	60	10	50	D	PS	A	Paneled: no recommendation; on Tamoxifen
S-3382-00	B5	Grand Falls	neg	90	20	80	DL	PS	A	deceased
S-1407-99	5	Grand Falls	15-20	35-40			DCIS			Previous DX of DCIS; should not have been retested/not paneled
S-4022-04	A8	Grand Falls	5	5	0	0	D	PS	A	confirmed negative
S-5200-98	3	Grand Falls	neg	25-30	80	50	D	A	A	Paneled: no recommendation; on Tamoxifen
S-3811-00	1	Grand Falls	neg	neg	60	10	D	PS	A	Paneled: recommended for Tamoxifen
S-4478-98	2	Grand Falls	neg	neg	0	0	D	A	A	confirmed negative
S-1062-00	A3	Grand Falls	<10	<10	0	0	D	PS	A	confirmed negative



97.SU007566	A8	Grand Falls	neg	min	0	0	D	PS	A	deceased
S-2913-04	2	Grand Falls	neg	neg	0	0	DCIS/M	PS	A	confirmed negative
S002880-99	9	Grand Falls	10	10	0	0	D	P	A	deceased
99.SS4605	21	Grand Falls	neg	neg	0	0	DA	PS	A	confirmed negative
S-1723-03	A10	Grand Falls	<5	<5			DCIS			Deferred: slides to be reviewed
S-3827-01	B16	Grand Falls	<5	<5	0	0	D	PS	A	confirmed negative
S-1590-98	16	Grand Falls	1 to 5	neg	0	0	D	PS	A	deceased
S-2137-00	C4	Grand Falls	<10	75	80	90	D	PS	A	deceased
S-1498-01	5	Grand Falls	<5	75	75	80	D	A	A	deceased
S-3528-00	B	Grand Falls	<10	<10	0	0	MCa	A	A	deceased
S-367-00	3	Grand Falls	<5	<5	0	0	D	PS	A	confirmed negative
S-4046-00	8	Grand Falls	<5	<5	0	0	D	PS	A	confirmed negative
S-1583-98	1	Grand Falls	neg	neg	0	0	D	PS	A	confirmed negative
S-428-04	2	Grand Falls	<5	50	20	70	DL	PS	A	Deferred: need information to panel
S-3034-03	7	Grand Falls	10	<10	85	60	DL	PS	A	Paneled: no recommendation; low risk
S-642-99	11	Grand Falls	neg	neg	0	0	D	PS	A	confirmed negative
97.SU007971	6	Grand Falls	min +	mod +	80	80	D	PS	A	Paneled: no recommendation; low risk
S-4030-02	1	Grand Falls	<10	<5	70	2	D	PS	A	Paneled: recommended for Tamoxifen
S-1006-00	5	Grand Falls	neg	neg	0	0	D	PS	A	confirmed negative
S-3668-03	3	Grand Falls	<5	20	20	30	DL	PS	A	Paneled: no recommendation; on Tamoxifen
S9814797S	3	Grand Falls	20-25	35-40	30	25	DT	PS	A	Paneled: no recommendation; on Tamoxifen
S-4640-00	B7	Grand Falls	neg	neg	40	0	D	PS	A	Paneled: recommended for Tamoxifen
S-546-99	28	Grand Falls	5 to 10	5 to 10	60	20	L	PS	A	Deferred: need information to panel
S-1915-00	8	Grand Falls	<20	<10	70	5	C	PS	A	Paneled: no recommendation; on Tamoxifen
S-547-01	1	Grand Falls	<5	<5	0	0	D	PS	A	deceased
S-3809-00	A23	Grand Falls	neg	neg			DCIS			Deferred: slides to be reviewed
S-3075-99	3	Grand Falls	neg	neg	30	60	DL	PS	A	Paneled: no recommendation; low risk
S-1927-00	A3	Grand Falls	20	20			NT			Paneled: no recommendation; low risk
S9714472S	3	Grand Falls	<5	50-60	5	90	DT	PS	A	Paneled: no recommendation; low risk
S-5448-98	2	Grand Falls	neg	10 to 15	40	10	D	PS	A	Paneled: no recommendation; on Tamoxifen
S-2008-05	2	Grand Falls	<10	80			NT			Paneled: no recommendation; on Tamoxifen
S-2764-00	S4	Grand Falls	<10	<10	0	0	D	PS	A	Notified by HP 06/01/30: confirmed negative
S-3126-98	52	Grand Falls	neg	neg	60	80	L	PS	A	Paneled: recommended for Tamoxifen
S-875-99	A2	Grand Falls	5	70-75	40	90	DT	PS	A	Paneled: no recommendation; on Tamoxifen