

Pam Elliott

From: Heather Predham
Sent: Thursday, May 15, 2008 1:28 PM
To: Pat Pilgrim; Sharon Smith; Janet Laidley
Cc: Pam Elliott; Nancy Parsons
Subject: List of Identifiers
Attachments: List of Identifiers.doc

Hi,

Sorry.....made a type on the last one.....destroy the last one

Heather

6/1/2008

List of Self Identified Patients not in current Database

Name	MCP#	Spec#	Original Results		MS Results		Results Communicated
			ER	PR	ER	PR	
		00:SU9311	neg	40-50	30	60	
		00:SU4832	0	0	Retested on Ventana 0 0		
		98:SU1767	0	0	neg	neg	
		02:SS8502	neg	100%	Retested on Ventana 90 90		Informed of results March 26, 2008
			Negative (<25%)		Being retested through Grand Falls		
		S1014-98	0	30	30	25	
		99:SU7011	positive 10-20% weakly positive 30-40%	0	Donna Hicks and Dr. Neil following up to see if this patient requires retesting		
		s-4631-97	Faint positivity 10-15	80-90	Dr. Neil states that this was done in April 1997 and outside the testing period and will not be retested		

Pam Elliott

From: Heather Predham
Sent: Thursday, May 15, 2008 12:19 PM
To: Pat Pilgrim; Sharon Smith; Janet Laidley
Cc: Pam Elliott; Nancy Parsons
Subject: List of Identifiers
Attachments: List of Identifiers.doc

Hi,

Nancy and I went through our notes and this is a list of patients that came forward since the spring. As you can see, I don't have complete records about communication. Nancy has a note that [REDACTED] was to be paneled? Did that happen?

If the communication occurred with any of these ladies, who are still alive, they can receive letters

Heather

6/1/2008

List of Self Identified Patients not in current Database

Name	MCP#	Spec#	Original Results		MS Results		Results Communicated
			ER	PR	ER	PR	
		00:SU9311	neg	40-50	30	60	
		00:SU4832	0	0	Retested on Ventana 90	90	
		98:SU1767	0	0	neg	neg	
		02:SS8502	neg	100%	Retested on Ventana 90	90	Informed of results March 26, 2008
			Negative (<25%)		Being retested through Grand Falls		
		S1014-98	0	30	30	25	
		99:SU7011	positive10 -20% weakly positive 30-40%	0	Donna Hicks and Dr. Neil following up to see if this patient requires retesting		
		s-4631-97	Faint positivity 10-15	80-90	Dr. Neil states that this was done in April 1997 and outside the testing period and will not be retested		